



सत्यमेव जयते

File No: EC/SEIAA/2024-25/3200/2024

Government of India

Ministry of Environment, Forest and Climate Change

(Issued by the State Environment Impact Assessment
Authority(SEIAA), JHARKHAND)



Dated 21/08/2024



To,

BIRENDRA KUMAR
MALTI RESIDENCY INFRA PROJECTS PRIVATE LIMITED
7/301, Tulsi Enclave, Abhimanue Nagar, Chas, Bokaro, Bokaro Steel city, BOKARO, JHARKHAND,
827013
mripltd@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Expansion of Residential Project Ranchi Smart City submitted to Ministry vide proposal number SIA/JH/INFRA2/488796/2024 dated 21/07/2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24C3801JH5750137N
(ii) File No.	EC/SEIAA/2024-25/3200/2024
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vii) Name of Project	Expansion of Residential Project Ranchi Smart City
(viii) Name of Company/Organization	MALTI RESIDENCY INFRA PROJECTS PRIVATE LIMITED
(ix) Location of Project (District, State)	RANCHI, JHARKHAND
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	no
(xiii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 05/08/2024. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 05/08/2024, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. BIRENDRA KUMAR under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Copy To

N/A

Annexure 1

Standard EC Conditions for (Building / Construction)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
1.2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
1.3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution)

S. No	EC Conditions
	Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
1.7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
1.8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
1.9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
1.10	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

Additional EC Conditions

N/A

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Existing	Proposed	Total	Unit	Mode of Transport / Transmission
Residential Project Ranchi Smart City	Residential Project Ranchi Smart City	117631.14	18506.45	136137.59	sqm	Road



State Level Environment Impact Assessment Authority, Jharkhand

Nursery Complex, Near Dhurwa Bus Stand, Dhurwa, Ranchi. Jharkhand-834 004

E-mail: msseiaa.jhk@gmail.com / chr-seiaajhr@gov.in

website: www.jseiaa.in

Letter No. : EC/SEIAA/2024-25/3200/2024/

Ranchi, Date :

**To: M/s Malti Residency Infra Projects Private Limited,
Director : Shri Birendra Kumar
Flat No. 104, Block – D, Malti Luxuria City,
Murtitand, Nawadi, District : Bokaro,
Jharkhand : 827013.**

Sub. : Environmental Clearance for the project “Expansion of Residential Project Ranchi Smart City Plot no. 17 of M/s Malti Residency Infra Projects Private Limited, Mouza : Latma, Block : Namkum, District : Ranchi, Jharkhand” (Proposal No. : SIA/JH/INFRA2/488796 /2024) – regarding.

Ref. : Your application no. Nil, dated - 22.07.2024.

It is in reference to the project “Expansion of Residential Project Ranchi Smart City Plot no. 17 of M/s Malti Residency Infra Projects Private Limited, Mouza : Latma, Block : Namkum, District : Ranchi, Jharkhand” submitted by you for seeking prior Environmental Clearances (EC).

This is an expansion project which has been taken for appraisal on 25.07.2024.

Project Category : B2- 8(a) Building & Construction project – Application for Environment Clearance (EC) as per EIA notification, 2006.

EC Application for: Expansion of Residential project Ranchi Smart City plot 17 located at Mauza – Latma, Block – Namkum, District-Ranchi, State-Jharkhand by M/s Malti Residency Infra Projects Private Limited.

Total built-up area 136137.59 sqm (Existing= 117631.14 Sq.m & Proposed = 18506.45 sq m).

Project and Location Details:

Parameters	Description
Total Plot Area	22153.96 sq m (2.21ha/5.47acres)
Project Cost	INR 185 Corers (Existing= 176 Corers & Proposed 9 Corers)
Built-up Area (@3.44	136137.59 sqm (Existing= 117631.14 Sq.m & Proposed =

F.A.R)	18506.45 sq m)
Green Area (@ 38.45% of plot area)	4380.80 sq m
Population	5278 nos.
Domestic Water Requirement	450 KLD
Fresh Water Requirement	403 KLD
Wastewater Generation	544 KLD
Treatment facility if waste water	STP of 550 KLD or STP (sewage treatment plant facility of Ranchi Smart City)
Total Municipal Waste	1560.1 kg/day
Power Requirement	Maximum power demand for the project during operation phase is estimated to be 3917.88 kVA respectively. Source of power will be Jharkhand State Electricity Board.
DG Sets	DG set 1010 kVA
RWH Pits	10 nos.
Parking Number	871 Nos.
Nearest Road	NH 39 (3.38 km. SW) SH2 (15 km. N)
Nearest Railway Station	Ranchi Junction Railway station (approx 7.20 km. NE)
Nearest Airport	Birsa Munda Airport (Ranchi). (approx 3.86 km. NE)
Nearest Hospitals	HEC plant Hospital (2.47 km. NW)

CO-ORDINATES

Point	Latitude	Longitude
A	23°17'45.41"N	85°17'42.13"E
B	23°17'44.18"N	85°17'41.32"E
C	23°17'43.64"N	85°17'40.83 "E
D	23°17'43.12"N	85°17'37.43"E
E	23°17'42.11"N	85°17'37.43"E
F	23°17'42.24"N	85°17'41.72"E

G	23°17'41.31"N	85°17'49.15"E
H	23°17'41.74"N	85°17'49.14"E
I	23°17'45.96"N	85°17'43.48"E
J	23°17'46.20"N	85°17'42.97"E

LAND DETAILS

Khata no.	Plot no.
109, 37, 13, 81, 44, 103, 16, 129, 100, 51, 44, 6, 74, 107, 17, 13, 40, 107, 95 & 135	1006, 1007, 1008, 1011, 1012, 1013, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1099, 1101, 1103, 1104, 1105, 1106, 1107 & 1108

AREA STATEMENT

S. NO.	Description	As per previous EC Area (sq m)/nos	Expansion Area (Sq m)/Nos	Total
	Total plot area		22153.96	
	Proposed Ground Coverage (@ 49.79 % of plot area)		11030.46	
	Proposed FAR (@4)	89880.07	30787.55	120667.62
	Non FAR Area (Strain case, Lift, Balcony, Ramp, Accessory Use, Basement Parking)	27751.07	12281.1	15469.97
	Built-up Area (F+G)	117631.14	18506.45	136137.59
	Green Area (@19.77 % of plot area)		4380.80	
	Road Area(25.14 % of the plot area)		5569	
	Paved Area (5.32 % of plot area)		1178.97	
	Height (m)		55 m	
	No of Dwelling Units	670	13	683

STATUTORY CLEARANCES

1	DFO Territorial	:	DFO, Ranchi Forest division vide letter no. 4273 dated 22.12.2018 certified that the distance of reserved/protected forest is more than 250 m from project site.
2	DFO wildlife	:	DFO, Wildlife Ranchi division vide letter no. 63, dated 20.01.2023 certified that proposed project site is outside Eco Sensitive Zone of Palkot Wildlife Sanctuary. This being expansion in an existing project no fresh certificate is required from DFO Wildlife Division, Ranchi.
3	CO certificate	:	The CO, Namkum (Ranchi) vide vide letter no. 29(ii) dated

Signature

Signature

Signature

		07.01.2019 has mentioned the plot no. of the project is not recorded as "Jungal - Jhari" in Khatiyar.
4	AAI NOC	: Airport authority of India issued NOC vide NOC ID no. RANC/EAST/B/022323/743655. dated 20.04.2023 valid up to 19.04.2031.
5	Fire Department	: Fire Advisory has been issued by Fire Department, Jharkhand, Ranchi. vide memo no. 2262/Tech./2024. dated 30.03.2024.
6	Building Plan	: Conceptual Plan submitted.
7	Previous Environmental Clearance (EC)	: Previous EC granted by SEIAA, Jharkhand vide letter no. EC/SEIAA/2022-23/2746/2023/442. dated 21.03.2023.
8	Consent to Establish (CTE)	: CTE issued by JSPCB vide Ref. no. JSPCB/HO/RNC/CTE-16091607/2023/478. dated 13.08.2023.
9	Land Docs	: Land allotted from Ranchi Smart City Corporation Ltd. dated 23.11.2022.

Water Requirement Details

S. No.	Description	Number of Flats	Total Population	Dom Water Requirement		Flushing Water requirement		Gross Water Req. LPD	% Flow to Sewer	Flow to Sewer LPD
				LPCD	LPD	LPCD	LPD			
EWS & LIG (STILT+ 9FLOORS)										
1	1 BHK	85.00	340	90	30,600	45	15,300	45,900	80 100	39,780.0
2	2 BHK	102.00	510	90	45,900	45	22,950	68,850	80 100	59,670.0
	Total		850		76,500		38,250	114,750		99,450
WING 1 - 1ST To 13TH FLOOR + 14TH & 15TH FLOOR (DUPLEX)										
1	4 BHK	56	392	90	35,280	45	17,640	52,920	80 100	45,864
2	5 BHK	2	14	90	1,260	45	630	1,890	80 100	1,638
3	SERVANT ROOM	56	56	25	1,400	20	1,120	2,520	80 100	2,240
	Total		462		37,940		19,390	57,330		49,742
WING 2 - 1ST To 13TH FLOOR + 14TH & 15TH FLOOR (DUPLEX)										
1	4 BHK	56	392	90	35,280	45	17,640	52,920	80 100	45,864
2	5 BHK	2	14	90	1,260	45	630	1,890	80 100	1,638
3	SERVANT ROOM	56	56	25	1,400	20	1,120	2,520	80 100	2,240
	Total		462		37,940		19,390	57,330		49,742
WING 3 - 1ST To 13TH FLOOR + 14TH & 15TH FLOOR (DUPLEX)										
1	3 BHK	101	606	90	54,540	45	27,270	81,810	80 100	70,902
2	4 BHK	15	105	90	9,450	45	4,725	14,175	80 100	12,285
3	5 BHK	2	14	90	1,260	45	630	1,890	80 100	1,638

4	SERVANT ROOM	56	56	25	1,400	20	1,120	2,520	80/100	2,240
	Total		781		66,650		33,745	100,395		87,065
WING 4 - 1ST To 13TH FLOOR + 14TH & 15TH FLOOR (DUPLEX)										
1	3 BHK	71	426	90	38,340	45	19,170	57,510	80/100	49,842
2	4 BHK	45	315	90	28,350	45	14,175	42,525	80/100	36,855
3	5 BHK	2	14	90	1,260	45	630	1,890	80/100	1,638
4	SERVANT ROOM	56	56	25	1,400	20	1,120	2,520	80/100	2,240
	Total		811		69,350		35,095	104,445		90,575
WING 5 - 1ST To 13TH FLOOR + 14TH & 15TH FLOOR (DUPLEX)										
1	3 BHK	112	672	90	60,480	45	30,240	90,720	80/100	78,624
2	4 BHK	15	105	90	9,450	45	4,725	14,175	80/100	12,285
3	5 BHK	4	28	90	2,520	45	1,260	3,780	80/100	3,276
4	SERVANT ROOM	70	70	25	1,750	20	1,400	3,150	80/100	2,800
	Total		875		74,200		37,625	111,825		96,985
MISCELLANEOUS										
1	Landscape (SQ.MTRS)	4,380.00	4,380			6	26,280	26,280		0.00
2	Clubhouse	0.00	0	20.00	0	25	0		80/100	
3	Swimming Pool	650.00	780	0.05	39,000			39,000		
4	Community Hall	525.00	53	20	1,050	25	1,313	2,363	80/100	2,153
5	Gaming	500.00	357	20	7,143	25	8,929	16,071	80/100	14,643
6	SPA	250.00	179	90	16,071	45	8,036	24,107	80/100	20,893
7	GYM	325.00	232	20	4,643	25	5,804	10,446	80/100	9,518
	Total				67,907		50,360	118,268		47,206
WING F - 1ST To 13TH FLOOR										
1	Typical Floor	36	216	90	19440	45	9720	29160	80/100	23328
	Total				19440		9720	29160		23328
TOTAL WATER DEMAND										
1	Domestic Water Demand (including swimming pool)		449,927			Liters	say	450		KLD
2	Flushing Water Demand (Flushing + landscaping)		243,575			Liters	say	244		KLD
	Total Water Demand							694		Liters

WASTEWATER CALCULATIONS						
1	FLOW TO SEWER	544.093	Liters	say	544	KLD
2	STP CAPACITY		Liters	say	550	KLD

(D.G. sets operation period is 8 hrs.)

Wastewater Calculations

Recovered water from STP (90% of Waste water)	490
1. Flushing	244
2. Landscaping	27
3. Fire Fighting	1
4. DG cooling	8
5. road washing/sewer	210

Solid Waste Requirement

S. No.	Description	Total No of Flats	Total Population	Total Waste Generated
1	EWS & LIG	187.00	850	297.5
2	WING 1	58.00	462	161.7
3	WING 2	58.00	462	161.7
4	WING 3	118.00	781	273.4
5	WING 4	118.00	811	283.9
6	WING 5	131.00	875	306.3
7	WING F	36.00	216	75.6
1	Total Garbage Generated		=	1,560.1
2	Total Dry Garbage Generated		=	936.06 KG/DAY
3	Total Wet Garbage Generated		=	624.04 KG/DAY

ENVIRONMENT MANAGEMENT

Green Belt Development

- Combination of local trees and shrubs are planned within the project site.
- Total green area provided at the site is 4380.80 sq m (19.77 % of the plot area) which will enhance the beauty of the site and help combat air and noise pollution.
- The plant species will be selected on the basis of Guidelines for Developing Green Belts, CPCB March 2000.

[Signature]

[Signature]

[Signature]

Solid Waste Management

During Construction Phase

- Construction yards are proposed for storage of construction material.
- Excavated top soil will be stored in temporary constructed soil bank and will be reused for landscaping of the project.
- Remaining soil will be utilized for refilling/road work/raising of site level at locations.
- There will be "Refuse Containers" at site for the management of domestic waste generated by the construction labourers and these containers will be emptied at least once daily.
- Cement bags, waste paper and packing material (cardboard) will be sold off to recyclers.

During Operation Phase

- The solid waste will be segregated at source & collected.
- Adequate number of colored bins (green, white & Black) separate for bio-degradable, non-biodegradable and Hazardous waste are proposed to be provided at the strategic location within site.
- Bio-degradable (will be composted through organic waste converter).
- Recyclable wastes will be disposed to govt. or SPCB approved third party vendors.
- Dewatered sludge can be buried underground in a sanitary landfill. It also may be spread on agricultural land in order to make use of its value as a soil conditioner and fertilizer.
- The Hazardous waste generated will be managed as per the Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016.
- Horticultural Waste is composted and used for gardening purposes.

Water Quality Management

During Construction Phase

- The site drainage will be planned in such a way that there is no accumulation of water/wastewater within the project premises or in the vicinity of the site.
- Mobile toilets to be provided for construction Laborers.
- Generated waste water will be collected through tankers and dispose to septic tank for treatment.

During Operation Phase

- STP of capacity i.e. 550 KLD or STP (sewage treatment plant facility of Ranchi Smart City) is proposed for treatment of wastewater.
- Treated waste water would be reused for Flushing, Landscaping, Road Washing & Misc
- Use of water efficient plumbing fixtures to conserve water.
- Approx. 450 KLD of fresh water is required during operational phase of the project.

Air Quality Management

- Warehouse/stock yard will be provided for storage of construction material
- Covering of stored construction materials with tarpaulin covers which will be resold to authorized construction material handling agency for reuse.
- Covering of trucks carrying construction materials.
- Dust suppression by water sprinkling.
- Adequate maintenance of construction equipment & vehicles.



- Wheel wash facility at the entry/exit of the site to prevent dust emissions.
- Periodical Ambient Air Quality Monitoring.
- PUC Certified vehicles.
- Glow signs Speed Limits to 20 kmph to reduce emissions on site will be displayed at the important junctions.

Energy conservation

- Energy will be conserved via solar power & LED of at least 10% of the total power requirement.

EMP budget for Operational Phase

S. No.	Activity	Capacity/ Area/Nos./parameters	Capital Cost (Lacs)	Annual Recurring Cost (Lacs)
1.	STP	550 KLD	80	40
2.	Landscaping & planting trees	4380.80sq m	30	15
3.	Solid waste Management	Municipal waste-1560.1 kg/day	25	10
4.	RWH Pit Installation	10 pits	10	5
5.	Energy Saving	10%	10	4
6.	Environmental Monitoring*	Air, water, soil and noise	-	4
Total			155	78

Undertaking

- An affidavit stating that no construction works.
- An undertaking that 544 KLD recycles waste water generated at Expansion of Commercial project Ranchi Smart City plot 65 of M/s Malti Residency Infra Projects Private Limited located at Mauza – Latma, Block – Namkum, District-Ranchi, State-Jharkhand.
- An undertaking that 3917.88 kVA Power requirement in Expansion of Residential project Ranchi Smart City plot 17 of M/s Malti Residency Infra Projects Private Limited located at at Mauza – Latma, Block – Namkum, District-Ranchi, State-Jharkhand.

State Level Environment Level Impact Assessment Authority (SEIAA), Jharkhand in its 115th meeting held on 06th & 07th August, 2024 discussed the project proposal along with recommendations made by SEAC in its 115th meeting held on 23th, 24th, 25th, 26th and 27th July, 2024 and decided to grant EC to the project.





On the basis of recommendation of SEAC and decision of SEIAA to grant of EC. Environmental Clearance is hereby issued to the “**Expansion of Residential Project Ranchi Smart City Plot no. 17 of M/s Malti Residency Infra Projects Private Limited, Mouza : Latma, Block : Namkum, District : Ranchi, Jharkhand**” alongwith the following specific conditions as recommended by SEAC:

I. Specific Conditions:

- i. This Environmental Clearance is valid subject to the following condition below –
That this project has-
 - a. Obtained all legal rights to operate at concerned place.
 - b. Complied with all existing concerned laws of the land and
 - c. Complied with the decisions of SEIAA on the issue of Environmental Clearance till date.
- ii. **In compliance of OM no.F.No. IA3-22/3/2024-IA.III (E-241594) dated 24.07.2024 of MoEF&CC, Govt. of India plantation of saplings shall be carried out in the earmarked green belt area as the part of tree plantation campaign “*Ek Ped Ma Ke Naam*” and the details of the same shall be uploaded in the MeriLiFE Portal (<https://merilife.nic.in>).**
- iii. **Ground water to be drawn for use in the project only after obtaining permission from the Competent Authority.**
- iv. **Environment management system including organization structure to be drawn to ensure compliance of EC conditions stipulated based on principles of Continual Improvement and periodical management review.**
- v. **All raw material to be stored only under covered shed.**
- vi. **PAs to offset (upto20%) consumption of conventional energy sources by promoting use of solar energy, passive energy utilization, optimum fenestration, shading effect and heat islands.**
- vii. **Developers to promote energy conservation measures such that it offsets not less than 02 % of connected load. It is to be achieved by solar panels etc meeting ECBC norms.**
- viii. **Trees should be developed & maintained not less than 15% of project area.**
- ix. **Organic Waste Converter (OWC) to be installed of sufficient capacity such that all organic waste (bio degradable) generated is composted at source only.**
- x. **Developers/Company to install STP of sufficient capacity such that all the sewer produced is treated and reused.**
- xi. **Developers/Company to install Rain water harvesting structures such that all the roof top water runoff is collected and harvested including reuse on 100% basis.**

Agri


[Signature]

[Signature]

- xii. **Developers/Company to conduct and submit carbon footprint and carbon sequestration study report including mitigation measures as a part of EC compliance.**
- xiii. **Water runoff originating from open non constructed areas of project premises to be harvested /guided in such a way that it does not create water logging condition outside.**
- xiv. **Sufficient number of EV fast charging points to be installed.**
- xv. **After approval of Building Plan from competent Authority, it should be submitted to the SEIAA.**
- xvi. **MSW Collection centre should be located in isolated and preferably unmanned area. Movement of the vehicle carrying waste should be under tarpaulin covered condition only. Route of vehicle should be such that it avoids residential areas as far as practical.**
- xvii. **ISO 14k EMS system standard to be followed for implementation of EMPs with MRM in place for feedback to Sr management.**
- xviii. **A cycling tract to be provided in residential complex so as to save on fuel and make in campus movement environment friendly.**
- xix. Install the required STP, if project start functioning before commencing or functioning of CETP of Municipal Corporation.
- xx. This Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT, MoEF & CC and any other Court of Law, if any, as may be applicable to this project.
- xxi. Environmental clearance is subject to obtaining prior clearance from forestry and Wildlife angle including clearance from standing committee of NBWL, as may be applicable to this project (in case any fauna occurs / is found in the Project area or if the area involves forest land or Wildlife habitat i.e. core zone of elephant/tiger reserve etc. and or located with in 10 km. of protected area).
- xxii. The project proponent may apply simultaneously for forest and NBWL clearance, in order to complete the formalities without undue delay, which till process on their respective merits, no rights will vest in or accrue to them unless all clearance are obtained.
- xxiii. This Environmental Clearance shall be valid subject to the sustainable environmental management.

II. Statutory Compliance :

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of fire fighting equipment etc as per National Building Code including protection measures from lightening etc.



- iii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv. In the writ petition (Civil) no. 202/1995, T.N. Godaverman Thirumulpad vs union of India and ors. the Hon'ble Supreme Court passed an order dated 03.06.2022 " National Park or Wildlife Sanctuary must have an ESZ of minimum 01 km in which the activities prescribed and prescribed in the guidelines of 09th February, 2011 shall be strictly adhered to".
- v. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- vi. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- vii. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- viii. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- ix. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- x. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- xi. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- xii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel (kerosene/gas) for cooking, safe drinking water, medical health care, etc. The housing may be in the form of temporary structures to be removed after completion of the project.
- xiii. Provision of drinking water, waste water disposal, solid wastes management and primary health facilities shall be ensured for labour force. Proper sanitation facilities shall be provided at the construction site to prevent health related problems. Domestic as well as sanitary wastes from construction camps shall be cleared regularly.
- xiv. All the labourers to be engaged for construction works shall be screened for health and adequately treated before issue of work permits. The contractor shall ensure periodic health check-up of construction workers.

Signature

Signature

Signature

- xv. All vehicles/equipment deployed during construction phase shall be ensured in good working condition and shall conform to applicable air and noise emission standards. These shall be operated only during non-peaking hours.
- xvi. Accumulation/stagnation of water shall be avoided ensuring vector control.
- xvii. Water during construction phase should be preferred from Municipal supply.
- xviii. Unskilled construction labourers shall be recruited from the local areas.
- xix. Monitoring of ground water table and quality once in three months shall be carried out. Construction of tube wells, bore wells shall be strictly regulated.
- xx. Adequate provision shall be made to cater the parking needs. Parking spaces standards as given in "Manual on Norms and Standards for Environmental Clearance of Large Construction Projects" issued by Ministry of Environment and Forests, Government of India shall be adopted.
- xxi. Rest room facilities shall be provided for service population.
- xxii. Water body falling within premises (if any) shall not be lined or no embankment shall be cemented. The water bodies, if any, shall be kept in natural conditions without disturbing the ecological habitat.
- xxiii. Construction shall conform to the requirements of local seismic regulations. The project proponent shall obtain permission for the plans and designs including structural design, standards and specifications of all construction work from concerned authority.

III. Air quality monitoring and preservation:

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building

under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.

- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

IV. Water quality monitoring and preservation:

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- iv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- v. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the


Signature

Signature

Signature

balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.

- vi. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vii. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- viii. Use of water saving devices/ fixtures (viz. low flow flushing systems: use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- ix. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- x. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xi. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
- xii. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xiii. All recharge should be limited to shallow aquifer.
- xiv. No ground water shall be used during construction phase of the project.
- xv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xvi. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xvii. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.



- xviii. No sewage or untreated effluent water would be discharged through storm water drains.
- xix. Onsite sewage treatment of capacity of treating 100% waste water to be installed based on the MBBR/MBR/SBR technology. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xx. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxi. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

V. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

VI. Energy Conservation measures:

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

Signature

Signature

Signature

- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VII. Waste Management:

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.



- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VIII. Green Cover:

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

IX. Transport:

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased







habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

X. Human Health Issues:

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

XI. Corporate Environment Responsibility:

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection

measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XII. Miscellaneous:

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry / SEIAA / SEAC may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.







- xii. The Ministry / SEIAA / SEAC reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. It shall be mandatory for the project management to submit six (06) monthly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard copies and soft copies to the regulatory authority concerned Regional Office of MoEF & CC at Ranchi and Jharkhand State Pollution Control Board (J.S.P.C.B.), Ranchi / CPCB / SEIAA.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xv. The SEIAA, Jharkhand or any other competent Authority may alter modify the above conditions or stipulate any further condition in the interest of Environment Protection.
- xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- xvii. The Prescribed EC is valid as per Notification no. S.O. 1807(E) dated 12.04.2022 of MoEF & CC, Govt. of India.



Sd/-
Member Secretary
State Level Environment Impact
Assessment Authority, Jharkhand.

Memo No. : EC/SEIAA/2024-25/3200/2024/186

Ranchi, Date : 11/09/2024

Copy to:

1. Principal Secretary, Department of Forests, Environment & Climate Change, Govt. of Jharkhand.
2. Deputy Commissioner, District – Ranchi, Jharkhand.
3. Divisional Forest Officer, Ranchi Forest Division, Ranchi, Jharkhand.
4. Divisional Forest Officer, Wildlife Division, Ranchi, Jharkhand.
5. Director IA Division, Monitoring Cell, MoEF and Climate Change, Indira Paryavaran Bhavan, Jorbag Road, Aliganj, New Delhi – 110003.
6. Regional Office, Ministry of Environment, Forest and Climate Change, Govt. of India, 2nd Floor, Jharkhand State Housing Board (HQ), Harmu Chowk, Ranchi, Jharkhand – 834002.



7. Member Secretary, Jharkhand State Pollution Control Board, Ranchi.
8. Member Secretary, Jharkhand State Expert Appraisal Committee, Ranchi.
9. Website.
10. Guard file.

11/02/2024
Member Secretary
State Level Environment Impact
Assessment Authority, Jharkhand

